

HAILO L100 TOPLINE

The aluminium safety stepladder with multipurpose tray, safety rail and platform locking mechanism offers safety in XXL size: 130 mm extra-deep steps.

THE KEY FEATURES

- Suitable for HAILO EasyClix replaceable feet (optional accessory)
- Platform locking mechanism ensures platform can be safely locked and released
- Black XXL aluminium steps with non-slip ribbing and an extra deep tread
- Black zinc-plated steel platform with non-slip ribbing
- Extendable safety rail provides a firm grip when working on the platform
- Multipurpose tray for holding tools, cans of paint or small parts
- Bucket strap with click-in quick lock for securely fastening buckets, vacuum cleaners or cable drums
- 1 universal hook for hanging hedge shears, cleaning materials or paint rollers
- 1 clip for holding brooms or fruit-pickers

OTHER PRODUCT ADVANTAGES

- Safe, high-tech riveted rail-step joints
- Slip-resistant feet
- Maximum load capacity 150 kg

Hailo-Werk · Daimlerstraße 8 · 35708 Haiger · Germany · Tel: +49 (0) 2773/82-0 · Fax: +49 (0) 2773/82-1239 · info@hailo.de · www.hailo.de

PRODUCT SPECIFICATION SHEET 8050-507 / 4007126017529

Made in Germany

25 Years warranty for private use

3 Years warranty for commercial use

EN 131





SPECIFICATIONS

Level of equipment		5
Extra wide steps		✔
Platform locking mechanism		✔
Extendable safety rail		✔
Tray		✔
Bucket strap		✔
Universal hooks		✔
Non-slip feet		✔
Suitable for HAILO EasyClix		✔
Material		Aluminium / steel / plastic
Number of steps		5
Step depth (cm)		13 cm
Width/depth required for setting up		A = 48 cm, B = 101 cm
Total height, platform height		A = 187 cm, B = 107 cm
Max. working height		307 cm

Hailo-Werk · Daimlerstraße 8 · 35708 Haiger · Germany · Tel: +49 (0) 2773/82-0 · Fax: +49 (0) 2773/82-1239 · info@hailo.de · www.hailo.de

PRODUCT SPECIFICATION SHEET 8050-507 / 4007126017529

Dimensions of packaging (HxWxD)		A = 187 cm, B = 48 cm, C = 17 cm
Weight		6,2 kg
Load capacity		150 kg

Hailo-Werk · Daimlerstraße 8 · 35708 Haiger · Germany · Tel: +49 (0) 2773/82-0 · Fax: +49 (0) 2773/82-1239 · info@hailo.de · www.hailo.de